

GASAK™ DSR (Pantoprazole+ Domperidone 40mg/30mg SR Capsule)

SALT COMPOSITION:

Pantoprazole+ Domperidone 40mg/30mg SR Capsule

STORAGE:

Store below 30°C

PRODUCT INTRODUCTION:

GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule is a prescription medicine used to treat gastroesophageal reflux disease (Acid reflux), dyspepsia (indigestion), and gastritis. It helps treat the conditions by reducing the amount of acid in the stomach thereby relieving symptoms of acidity such as heartburn, stomach pain, or irritation.

GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule also neutralizes the acid in the stomach and promotes easy passage of gas to reduce stomach discomfort. It is taken without food in a dose and duration as advised by the doctor. The dose you are given will depend on your condition and how you respond to the medicine. You should keep taking GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule for as long as your doctor recommends. If you stop treatment too early your symptoms may come back and your condition may worsen. Let your healthcare team know about all other medications you are taking as some may affect, or be affected by this medicine.

The most common side effects of GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule are diarrhea, vomiting, stomach pain, flatulence, dryness in the mouth, and headache. Most of these are temporary and usually resolve with time. Contact your doctor straight away if you are at all concerned about any of these side effects. This medicine may cause dizziness and sleepiness, so do not drive or do anything that requires mental focus until you know how this medicine affects you. Avoid drinking alcohol while taking GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule as it can worsen your sleepiness. Lifestyle modifications like having cold milk and avoiding hot tea, coffee, spicy food, or chocolate can help you to get better result.

Before you start taking this medicine it is important to inform your doctor if you are suffering from kidney or liver disease. You should also tell your doctor if you are pregnant, planning pregnancy, or breastfeeding.

INDICATION:

- Treatment of Gastroesophageal reflux disease (Acid reflux)
- Treatment of Indigestion
- Treatment of Indigestion

BENEFITS OF GASAK™ DSR CAPSULE:

In Treatment of Gastroesophageal reflux disease (Acid reflux):

Gastroesophageal reflux disease (GERD) is a chronic (long-term) condition in which there is an excess production of acid in the stomach. GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule reduces the amount of acid your stomach makes and relieves the pain associated with heartburn and acid reflux. You should take it exactly as it is prescribed for it to be effective. Some simple lifestyle changes can help reduce the symptoms of GERD. Think about what foods trigger heartburn and try to avoid them; eat smaller, more frequent meals; try to lose weight if you are overweight, and try to find ways to relax. Do not eat within 3-4 hours of going to bed.

In Treatment of Indigestion:

GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule effectively addresses the symptoms of indigestion (dyspepsia) by promoting better digestive function and reducing gastric acid production. This helps provides relief and improved comfort for individuals experiencing gastrointestinal discomfort due to indigestion.

In Treatment of Gastritis:

GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule helps treat gastritis by reducing gastric acid, managing symptoms, and enhancing digestive function. Use it in the exact dose and duration as prescribed by the doctor.

SIDE EFFECTS OF GASAK™ DSR CAPSULE:

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

COMMON SIDE EFFECTS:

- Diarrhea
- Stomach pain
- Flatulence
- Dryness in mouth
- Dizziness
- Headache

HOW TO USE GASAK™ DSR CAPSULE:

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule is to be taken empty stomach.

HOW GASAK™ DSR CAPSULE WORKS:

GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule is a combination of two medicines: Domperidone and Pantoprazole. Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach. Pantoprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn.

SAFETY ADVICE:

Caution is advised when consuming alcohol with GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule. Please consult your doctor.

Pregnancy:

GASAK™ DSR capsule may be unsafe to use during pregnancy. Although there are limited studies in humans, animal studies have shown harmful effects on the developing baby. Your doctor will weigh the benefits and any potential risks before prescribing it to you. Please consult your doctor.

Breast feeding:

GASAK™ DSR capsule should be used with caution during breastfeeding. Breastfeeding should be held until the treatment of the mother is completed and the drug is eliminated from her body.

Driving:

GASAK™ DSR capsule may decrease alertness, affect your vision or make you feel sleepy and dizzy. Do not drive if these symptoms occur.

Kidney:

GASAK™ DSR capsule should be used with caution in patients with kidney disease. Dose adjustment of GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule may be needed. Please consult your doctor.

Liver: GASAK™ DSR capsule is probably safe to use in patients with liver disease. Limited data available GASAK™ DSR capsule may not be needed in these patients. Please consult your doctor.

WHAT IF YOU FORGET TO TAKE GASAK™ DSR CAPSULE?

If you miss a dose of GASAK™ DSR Pantoprazole+ Domperidone 40mg/30mg SR Capsule take it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.

Reference:

1. <https://www.ncbi.nlm.nih.gov>
2. <https://www.fda.gov>
3. <https://www.fda.gov/drugs/development-approval-process-drugs/drug-approvals-and-databases>
4. US Food & Drug Administration (FDA): Orphan Drug Designation Database. US Food & Drug Administration (FDA). Silver Spring, MD.
5. 2022. Available from URL: <https://www.accessdata.fda.gov/scripts/opdlisting/ood/>. As accessed 2022-08-02.
6. Product Information: PROTONIX oral delayed-release tablets, oral delayed-release suspension, pantoprazole sodium oral delayed-release tablets, oral delayed-release suspension. Wyeth Pharmaceuticals LLC (per FDA), Philadelphia, PA, 2023.
7. Product Information: PANTOLOC(R) oral enteric-coated tablets, pantoprazole sodium oral enteric-coated tablets. Takeda Canada Inc. (per Health Canada), 2016.
8. Gomm W, von Holt K, Thome F, et al: Association of proton pump inhibitors with risk of dementia: a pharmacoepidemiological claims data analysis. JAMA Neurol 2016; 73(4):410-416. PubMed Abstract: <http://www.ncbi.nlm.nih.gov/...>
9. Product Information: domperidone oral suspension, domperidone oral suspension. Zentiva (per EMC), Guildford, Surrey, United Kingdom, 2014.
10. PubMed/NCBI
11. Medscape.com
12. Micromedex.com

Disclaimer:

The content of the information is Authenticated, well referenced, expert-reviewed which are accurate and trust worthy. The information provided here is for informational purposes only for the benefit of the consumer. This may not include all of the information regarding specific medical problems / health conditions, laboratory tests, medications, all potential side effects, drug interactions, cautions, alerts, etc. If you have any questions concerning any illness or medication, please speak with your physician or pharmacist.

Prepared by

- 1 Dr. Mohammed Ali M Pharm PhD.
- 2 Dr. Baharul Islam Hadiari, Pharm D.