

SEROTIL™ CV (Cefuroxime + Clavulanic Acid 500mg/125mg Tablet)

SALT COMPOSITION:

Cefuroxime (500mg) + Clavulanic Acid (125mg)

STORAGE:

Store below 30°C

PRODUCT INTRODUCTION:

SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet is a combination medicine that is used to treat various types of bacterial infections. It fights against the microorganisms to prevent their growth and further spread of the infection.

SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet is a prescription medicine. It is advised to take it as per the prescription. It can be taken with or without food, but it must be taken at a fixed time to ensure better efficacy. Do not consume more than the recommended dose, as this may have harmful effects on your body. If you miss a dose, take it as soon as you remember. The course of the treatment must be completed even if you feel better. Sudden discontinuation of the treatment may affect the potency of the medicine.

Some common side effects of this medicine include nausea, vomiting, diarrhea, indigestion, and abdominal pain. If any of the side effects get aggravated, you must consult your doctor immediately. If you experience any allergic reaction (rashes, itching, swelling, shortness of breath, etc.), you must seek immediate medical help.

Before taking this medicine, you should tell your doctor if you are taking any medicines for any health condition. Pregnant or breastfeeding women should also consult with their doctor before taking it. Avoid drinking alcohol as it can cause excessive drowsiness with this medicine. It usually does not impair your ability to drive, but you should not drive if it makes you feel sleepy or dizzy. You must take adequate rest for a faster recovery, also take a healthy diet and drink plenty of water. Your doctor may ask for a few laboratory and diagnostic tests to know the effects of the medicine on your body.

INDICATION:

- Treatment of Bacterial infections

BENEFITS OF SEROTIL™ CV TABLET:

In Treatment of Bacterial infections:

SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet contains two different medicines, Cefuroxime and Clavulanic Acid, that work together to kill the bacteria that cause infections. Cefuroxime works by stopping the growth of bacteria. Clavulanic Acid reduces resistance and enhances the activity of Cefuroxime against bacteria.

This combination medicine can be used to treat many different bacterial infections such as ear, sinus, throat, lung, urinary tract, skin and soft tissues. It usually makes you feel better within a few days, but you should continue taking it as prescribed even when you feel better to make sure that all bacteria are killed and do not become resistant.

SIDE EFFECTS:

Most side effects do not require any medical attention and disappear as your body adjusts to the medicine. Consult your doctor if they persist or if you're worried about them

Common side effects:

- Nausea
- Vomiting
- Diarrhea
- Increased liver enzymes
- Allergic reaction
- Abdominal pain

HOW TO USE SEROTIL™ CV TABLET:

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. **SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet** may be taken with or without food, but it is better to take it at a fixed time.

HOW SEROTIL™ CV TABLET WORKS:

SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet is a combination of two medicines: Cefuroxime and Clavulanic Acid. Cefuroxime is an antibiotic. It works by preventing the formation of the bacterial protective covering which is essential for the survival of bacteria in the human body. Clavulanic Acid is a beta-lactamase inhibitor which blocks the action of enzymes produced by bacteria to inactivate Cefuroxime. Addition of Clavulanic Acid reduces resistance and enhances the activity of Cefuroxime against bacteria.

SAFETY ADVICE:

Alcohol: Consuming alcohol with **SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet** does not cause any harmful side effects.

Pregnancy: **SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet** may be unsafe to use during pregnancy. Although there are limited studies in humans, animal studies have shown harmful effects on the developing baby. Your doctor will weigh the benefits and any potential risks before prescribing it to you. Please consult your doctor.

Breast feeding: SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet is safe to use during breastfeeding. Human studies suggest that the drug does not pass into the breastmilk in a significant amount and is not harmful to the baby.

Driving: Not relevant, as SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet is intended for use in hospitalized patients.

Kidney: There is limited information available on the use of SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet in patients with kidney disease. Please consult your doctor.

Liver: There is limited information available on the use of SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet in patients with liver disease. Please consult your doctor.

WHAT IF YOU FORGET TO TAKE SEROTIL™ CV TABLET?

If you miss a dose of SEROTIL™ CV Cefuroxime + Clavulanic Acid 500mg/125mg Tablet, take it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.

References:

1. <https://www.ncbi.nlm.nih.gov>
2. <https://www.fda.gov>
3. <https://www.fda.gov/drugs/development-approval-process-drugs/drug-approvals-and-databases>
4. PubMed/NCBI
5. Medscape.com
6. Micromedex.com
7. Product Information: Cefuroxime sodium intravenous, intramuscular powder for injection, cefuroxime sodium intravenous, intramuscular powder for injection. Sagent Pharmaceuticals Inc (per DailyMed), Schaumburg, IL, 2018.
8. Zide MF, Sanders CV, Marier ML, et al: Cefuroxime therapy for maxillofacial infections. CurrTher Res 1986; 40:278-287.
9. Product Information: ZINACEF(R) intravenous, intramuscular injection, cefuroxime intravenous, intramuscular injection. Teligent Pharma Inc (per FDA), Buena, NJ, 2021.

Disclaimer:

The content of the information is Authenticated, well referenced, expert-reviewed which are accurate and trust worthy. The information provided here is for informational purposes only for the benefit of the consumer. This may not include all of the information regarding specific medical problems / health conditions, laboratory tests, medications, all potential side effects, drug interactions, cautions, alerts, etc. If you have any questions concerning any illness or medication, please speak with your physician or pharmacist.

Prepared by

1 Dr. Mohammed Ali M Pharm Ph.D.

2 Dr. Baharul Islam Hadiari, Pharm D