

SOFLAM™ SP (Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg Tablet)

Salt Composition:

(Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg Tablet)

Storage:

Store below 30°C

Product Introduction:

Soflam™ SP

Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg Tablet is a combination medicine used to relieve pain and swelling in various conditions like muscle pain, joint pain, and postoperative pain. Thus, it effectively alleviates pain and inflammation in conditions like rheumatoid arthritis, ankylosing spondylitis, and osteoarthritis.

Soflam™ SP

Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg Tablet should be taken in the dose and duration as advised by your doctor. It should be taken with food or milk to prevent stomach upset. Taking the medicine regularly at the right times increases its effectiveness. It is important to keep taking the medicine regularly until your doctor tells you it is safe to stop.

some of the common side effects like Nausea, vomiting, stomach pain, indigestion, heartburn, increased liver enzymes, dizziness, drowsiness, and diarrhea might be observed on taking this medicine.

Your doctor may regularly monitor your kidney function, liver function, and levels of blood components if you are taking this medicine for long-term treatment. Long-term use may lead to serious complications such as stomach bleeding and kidney problems. Soflam™ SP

Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg Tablet is not recommended if you are pregnant or breastfeeding.

Indication:

Soflam™ SP (Aceclofenac+Paracetamol+Serratiopeptidase) is used for **Pain Relief**. It relieves pain in conditions like headache, mild migraine, musculoskeletal pain or painful menses.

How Soflam™ SP Tablet Works:

(Aceclofenac + Paracetamol + Serratiopeptidase) is a combination of three medicines: Aceclofenac, Paracetamol and Serratiopeptidase. Aceclofenac is a non-steroidal anti-inflammatory drug (NSAID), and Paracetamol is an antipyretic (fever reducer). They work by blocking the release of certain chemical messengers in the brain that cause pain and fever. Serratiopeptidase is an enzyme which works by breaking down abnormal proteins at the site of inflammation and promotes healing.

Common side effects: Nausea, Diarrhea, Dizziness, Abdominal pain, Drowsiness, Dyspepsia, Increased liver enzymes

Benefits of Soflam™ SP Tablet:

In Pain relief:

Soflam™ SP (Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg) Tablet is a combination medicine used for short-term relief of pain, inflammation, and swelling in conditions

affecting joints and muscles. It works by blocking chemical messengers in the brain that tell us we have pain. It can help relieve pain in conditions like rheumatoid arthritis and osteoarthritis. Along with painkillers, this medicine also contains an active ingredient called Serrati peptidase, which is an enzyme that promotes the overall healing process and speeds up recovery.

Take it as it is prescribed to get the most benefit. Do not take more or longer than needed as that can be dangerous. In general, you should take the lowest dose that works, for the shortest possible time. This will help you to go about your daily activities more easily and have a better, more active, quality of life.

How to Use Soflam™ SP Tablet:

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. Soflam™ SP should be taken with food.

How Soflam™ SP Tablet Works:

Soflam™ SP is a combination of three medicines: Aceclofenac, Paracetamol and Serrati peptidase. Aceclofenac is a non-steroidal anti-inflammatory drug (NSAID), and Paracetamol is an antipyretic (fever reducer). They work by blocking the release of certain chemical messengers in the brain that cause pain and fever. Serratiopeptidase is an enzyme which works by breaking down abnormal proteins at the site of inflammation and promotes healing.

Safety Advice:

It is unsafe to consume alcohol with Soflam™ SP Aceclofenac+Paracetamol+Serratiopeptidase 100mg/325mg/15mg Tablet.

Pregnancy:

Soflam™ SP tablet may be unsafe to use during pregnancy. Although there are limited studies in humans, animal studies have shown harmful effects on the developing baby. Your doctor will weigh the benefits and any potential risks before prescribing it to you. Please consult your doctor.

Breast Feeding:

Information regarding the use of Soflam™ SP Tablet during breastfeeding is not available. Please consult your doctor.

Driving:

Soflam™ SP tablet may decrease alertness, affect your vision or make you feel sleepy and dizzy. Do not drive if these symptoms occur.

Kidney:

Soflam™ SP tablet should be used with caution in patients with kidney disease. Dosage adjustment may be needed and it is not recommended in patients with severe kidney disease

Liver: Soflam™ SP tablet should be used with caution in patients with Liver disease. Dosage adjustment may be needed and it is not recommended in patients with Severe liver disease.

What if You Forget to Take Soflam™ SP Tablet?

If you miss a dose of **Soflam™ SP Tablet**, take it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.

References:

1. <https://www.ncbi.nlm.nih.gov>
2. <https://www.fda.gov>
3. <https://www.fda.gov/drugs/development-approval-process-drugs/drug-approvals-and-databases>
4. PubMed/NCBI
5. Product Information: COMBOGESIC(R) oral tablets, acetaminophen ibuprofen oral tablets. AFT Pharmaceuticals Inc (per FDA), Highland, MD, 2023.
6. Litalien C & Jacqz-Aigrain E: Risks and benefits of nonsteroidal anti-inflammatory drugs in children: a comparison with paracetamol. Paediatr Drugs 2001; 3(11):817-858. PubMed Abstract: <http://www.ncbi.nlm.nih.gov/...>

Disclaimer:

The content of the information is Authenticated, well referenced, expert-reviewed which are accurate and trust worthy. The information provided here is for informational purposes only for the benefit of the consumer. This may not include all of the information regarding specific medical problems / health conditions, laboratory tests, medications, all potential side effects, drug interactions, cautions, alerts, etc. If you have any questions concerning any illness or medication, please speak with your physician or pharmacist.

Prepared by

1 Dr. Mohammed Ali M Pharm Ph D.

2 Dr. Baharul Islam Hadiari, Pharm D.